


Scoring blades

10RA19


Scoring saw blades with straight teeth and conical sides (RA). Manufactured with Long-life carbide tips



D	B	b	z	£
80	3.0-4.0	2.2	10	63.42
90	3.2-4.4	2.2	20	68.91
100	3.2-4.4	2.2	20	77.53
105	3.2-4.4	2.2	20	77.53
120	3.2-4.4	2.2	20	80.23
120	3.5-4.5	3.2	20	99.06
120	4.4-5.4	3.2	20	100.74
125	3.2-4.4	2.2	20	82.57
125	3.5-4.5	2.5	20	99.06
125	4.4-5.4	3.2	20	100.74
140	3.1-4.2	2.2	32	107.74
150	3.2-4.2	2.2	24	111.84
150	4.4-5.4	3.2	24	112.16
160	3.5-4.5	3.5	24	112.16
160	4.4-5.4	3.2	24	113.70
160	4.8-5.8	3.5	24	123.25
175	4.4-5.4	3.2	28	120.93
175	4.8-5.8	3.5	28	123.44
180	3.5-4.5	2.5	28	126.70
180	4.4-5.4	3.2	28	128.00
180	4.8-5.8	3.5	28	131.38
200	3.2-4.4	2.2	32	140.82
200	4.4-5.4	3.2	32	143.16
200	4.8-5.8	3.5	32	148.13
215	4.4-5.4	3.2	42	146.45
280	4.8-5.8	3.5	72	258.26
300	4.4-5.4	3.2	48	194.80
300	4.8-5.8	3.5	48	218.41

10RA/BA


Scoring saw blade with alternately bevelled teeth with conical sides (RABA) Manufactured with Long-life carbide tips.



D	B	b	z	£
280	4.8-5.8	3.5	72	258.26
300	4.4-5.4	3.2	48	194.80
300	4.8-5.8	3.5	48	218.41

SPLIT SCORERS


Adjustable to suit the kerf of the main saw blade. Straight teeth (AA). Shims are included.



D	B	z	£
80	2.8-3.6	2x10	109.11
100	2.8-3.6	2x12	109.11
105	2.8-3.6	2x12	120.00
120	2.8-3.6	2x12	120.00
125	2.8-3.6	2x12	120.00
140	2.8-3.6	2x14	126.45

SPLIT SCORER for the Altendorf Rapido machine. Blade has 50mm bore and 4 Countersunk pin holes

D	B	z	£
120	2.8-3.6	2x12	134.73



ring saw blades equipped with long-life carbide tips. Used for coring of laminated and non-coated boards.

