


Scoring blades

10RA19


Scoring saw blades with straight teeth and conical sides (RA). Manufactured with Long-life carbide tips



D	B	b	z	£
80	3.0-4.0	2.2	10	54.95
90	3.2-4.4	2.2	20	59.72
100	3.2-4.4	2.2	20	67.18
105	3.2-4.4	2.2	20	67.18
120	3.2-4.4	2.2	20	69.51
120	3.5-4.5	3.2	20	85.83
120	4.4-5.4	3.2	20	87.29
125	3.2-4.4	2.2	20	71.55
125	3.5-4.5	2.5	20	85.83
125	4.4-5.4	3.2	20	87.29
140	3.1-4.2	2.2	32	93.36
150	3.2-4.2	2.2	24	96.91
150	4.4-5.4	3.2	24	97.19
160	4.4-5.4	3.2	24	98.53
160	4.8-5.8	3.5	24	106.80
175	4.4-5.4	3.2	28	104.79
175	4.8-5.8	3.5	28	106.96
180	3.5-4.5	2.5	28	109.80
180	4.4-5.4	3.2	28	110.91
180	4.8-5.8	3.5	28	113.84
200	3.2-4.4	2.2	32	122.02
200	4.4-5.4	3.2	32	124.04
200	4.8-5.8	3.5	32	128.36
215	4.4-5.4	3.2	42	126.90
280	4.8-5.8	3.5	72	223.79
300	4.4-5.4	3.2	48	168.80
300	4.8-5.8	3.5	48	189.25

10RA/BA


Scoring saw blade with alternately bevelled teeth with conical sides (RABA) Manufactured with Long-life carbide tips.



D	B	b	z	£
280	4.8-5.8	3.5	72	223.79
300	4.4-5.4	3.2	48	168.80
300	4.8-5.8	3.5	48	189.25

SPLIT SCORERS

Adjustable to suit the kerf of the main saw blade. Straight teeth (AA). Shims are included.




D	B	z	£
80	2.8-3.6	2x10	94.53
100	2.8-3.6	2x12	94.53
105	2.8-3.6	2x12	103.98
120	2.8-3.6	2x12	103.98
125	2.8-3.6	2x12	103.98
140	2.8-3.6	2x14	109.57

SPLIT SCORER for the Altendorf Rapido machine. Blade has 50mm bore and 4 Counter-sunk pin holes

D	B	z	£
120	2.8-3.6	2x12	116.74

[rpm] Recommended speed of revolution



Scoring saw blades equipped with long-life carbide tips. Used for scoring of laminated and non-coated boards.

